

## 410GR ARAMİD CT 736

### Technical Specifications:

PROPERTIES	SPECIFICATION	STANDARD
Material	Twaron® 1680 dtex Type 2040	UNI 9275:1988
Fabric construction (ends/picks per cm)	12,7 x 12,7 ± 0,3	UNI EN 1049- 2:1996
Areal weight	410 g/m <sup>2</sup> ± 4 %	UNI EN 12127:1999
Fabric thickness	620 µm ± 15 %	UNI EN ISO 5084:1998
Weave	BASKET 2/2	UNI 8099:1980
Tensile strength (warp/weft)	Warp > 3100 N/cm Weft > 3320 N/cm	UNI EN ISO 13934- 1:2000
Finishing	Fabric can be supplied Loomstate, Scoured or Water-Repellent	UNI EN 24920:1993 AATCC-118:1989
Storage	Keep the material in the original packaging in clean and dry place	